

	Hits	Search Text	DBs
1	859	OBJECT\$1 AND REPORT\$1 AND (QUER\$5 WITH STATEMENT\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
2	549	S1 AND (RELATIONAL WITH DATABASE\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
3	582	S1 AND (RELATIONAL AND DATABASE\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
4	450	S3 AND LINK\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
5	393	S4 AND (DATA WITH SET\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
6	201	S5 AND TEMPLATE\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
7	95	S6 AND META\$1DATA	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
8	80	S7 AND PATTERN\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
18	0	S14 and S15	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
19	3	S15 AND ((DRILL\$1DOWN\$1 OR "DRILL DOWN" OR "DRILL-DOWN") WITH REPORT\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
20	0	S19 AND META\$1DATA	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
21	1	S15 AND TEMPLATE\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
22	4	S15 AND EDIT\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
23	3	S23 AND LINK\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
24	3	S24 AND (RELATIONAL AND DATABASE\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
25	3	S25 AND (INTERFACE\$1 OR MONITOR\$1 OR DISPLAY\$4 OR SCREEN\$1 OR WINDOW\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
26	2	S26 AND (RDBM\$1 OR (RELATIONAL ADJ DATABASE ADJ MANAGEMENT ADJ SYSTEM\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
27	7	((first and second) adj report\$1) with link\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
28	7	S28 and (@ad < "20020325")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
29	1	S29 and (report\$1 with template\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
30	0	S30 and relational	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
31	3	S29 and relational	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
32	3	S32 and database\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
33	1	S33 and quer\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
34	0	S33 and statement\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
35	0	S33 and template\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
36	1	S29 and template\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
37	146	relational and database\$1 and (report\$1 same link\$6) and (quer\$3 or statement\$1) and publish\$5 and (RDBM\$1 or (relational adj database\$1 adj management adj system\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
38	48	S38 and ((first and second) with report\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
39	38	S39 and (bind\$4 or bound\$3).	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
40	1	S40 and (drill\$1down near4 report\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
41	1	S40 and meta\$1data	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
42	0	meta\$1data and relational and database\$1 and (report\$1 same pattern\$1 same (object\$1 or element\$1 or item\$1)) and (quer\$3 or statement\$1) and (drill\$1down near5 report\$1) and set\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
43	40	(drill\$1down near5 report\$1) and set\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
44	23	S44 and (@ad < "20020325")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
45	2	S45 and meta\$1data and relational and database\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
46	2	S46 and (quer\$3 or statement\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
47	2	S47 and (template\$1 or pattern\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
48	4	((("5603025") or ("20020184187") or ("5787416") or ("6279033"))).PN.	US-PGPUB; USPAT
49	4	S49 and ((first and second) with report\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
50	3	S49 and ((first and second) adj report\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
51	4	S50 and (code\$1 or instruction\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
52	3	S52 and edit\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
53	2	S53 and S51	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
54	0	S53 and (pattern\$1 with (object\$1 or element\$1 or item\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
55	1	S53 and (pattern\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
56	1	S56 and S53	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
57	1	S57 and event\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
58	1	S58 and (interface\$1 or display\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
59	1	S59 and (rdb\$ or (database adj management))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
60	0	S60 and ((first and second) adj report\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
61	1	S60 and ((first and second) with report\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
62	1	S62 and link\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
63	3	report\$1 and (event\$1 near5 handl\$5) and (quer\$4 with (expression\$1 or statement\$1)) and drill\$1down and interface\$1 and ((generat\$5 or creat\$5) near5 report\$1) and (@ad < "20020325")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
64	3	S64 and relational	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
65	3	S65 and (code\$1 or instruction\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
66	3	S66 and pattern	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
67	3	S67 and (rdbm\$1 or (database\$1 adj management\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
68	3	S68 and meta\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
69	0	S70 and ((first and second) adj report\$1) and link\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
70	0	S69 and ((first and second) adj report\$1) and link\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
71	1	S69 and (result\$1 with set\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
72	2	S69 not S70	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
73	2330 1	((generat\$5 or creat\$5) near4 report\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
74	34	((generat\$5 or creat\$5) near4 report\$1) same (result\$1 near5 set\$1) same (interface\$1 or display\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
75	25	S75 AND (@AD < "20020325")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
76	1034 5	(report\$1 with (code\$1 or instruction\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
77	11	S76 and (report\$1 with (code\$1 or instruction\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
78	0	S78 and (retriev\$5 same (rdbm\$1 or (database adj management)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
79	4	S78 and retriev\$5 and (rdbm\$1 or (database adj management))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
80	4	S80 and relational	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
81	2	S81 and drill\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
82	2	S82 and link\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
83	7	((first and second) adj report\$1) with link\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
84	7	S84 and (@ad < "20020325")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
85	1	S85 and (quer\$3 or statement\$1) and (rdbm\$1 or (database adj management))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
86	0	S86 and publish\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
87	8	((first and second) adj report\$1) with link\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
88	7	S88 and (@ad < "20020325")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
89	1	S89 and (quer\$3 or statement\$1) and (rdbm\$1 or (database adj management))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
90	0	"tabb et al."	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
91	0	"Tabb et al."	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
92	649	"Tabb"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
93	533	S93 and (@ad < "20020325")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
94	213	"tabb".in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
95	135	S95 and (@ad < "20020325")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
96	1	S89 and (quer\$3 or statement\$1) and (rdbm\$1 or (database adj management))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
97	4	((("6341286") or ("6282547") or ("5787416") or ("5603025"))).PN.	USPAT
98	3	S98 AND ((DRILL\$1DOWN\$1 OR "DRILL DOWN" OR "DRILL- DOWN") WITH REPORT\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
99	1	S89 and (quer\$3 or statement\$1) and (rdbm\$1 or (database adj management))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB